Printing date 16.06.2017 Version number 3 Revision: 16.06.2017

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: RSD 500 Rapid surface disinfection MAX
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Surface disinfectant
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch Germany

· Further information obtainable from:

Abteilung Produktsicherheit Alexander.Metz@prisman.de

· 1.4 Emergency telephone number: ++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard statements

H226 Flammable liquid and vapour.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep container tightly closed. P403+P233

(Contd. on page 2)

Printing date 16.06.2017 Version number 3 Revision: 16.06.2017

Trade name: RSD 500 Rapid surface disinfection MAX

(Contd. of page 1)

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 64-17-5 ethanol EINECS: 200-578-6

**③** Flam. Liq. 2, H225

25-50%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Printing date 16.06.2017 Version number 3 Revision: 16.06.2017

Trade name: RSD 500 Rapid surface disinfection MAX

(Contd. of page 2)

#### · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Use only in well ventilated areas.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in upright position.

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

#### 71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.

(Contd. on page 4)

Revision: 16.06.2017 Printing date 16.06.2017 Version number 3

Trade name: RSD 500 Rapid surface disinfection MAX

(Contd. of page 3)

#### · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· As protection from splashes gloves made of the following materials are suitable:

Natural rubber, NR Nitrile rubber, NBR Butyl rubber, BR

· Eye protection:



Tightly sealed goggles

# SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Clear Colour: · Odour: Alcohol-like

· Odour threshold: Not determined.

· pH-value at 20 °C: <10

· Change in condition

*Melting point/freezing point:* Undetermined.

*Initial boiling point and boiling range:* 78 °C

27 °C · Flash point:

· Flammability (solid, gas): Not applicable.

425 °C · Ignition temperature:

· Decomposition temperature: Not determined.

(Contd. on page 5)

Printing date 16.06.2017 Version number 3 Revision: 16.06.2017

Trade name: RSD 500 Rapid surface disinfection MAX

	(Contd. of page 4
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation og explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol % (Ethanol)
Upper:	15.0 Vol % (Ethanol)
Vapour pressure at 20 °C:	59 hPa
Density at 20 °C:	0.93 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	39 %
Water:	60 %
VOC (EC)	39 %
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 16.06.2017 Version number 3 Revision: 16.06.2017

Trade name: RSD 500 Rapid surface disinfection MAX

(Contd. of page 5)

· LD/LC50 values relevant for clas	sification:
------------------------------------	-------------

#### 64-17-5 ethanol

 Oral
 LD50
 7060 mg/kg (rat)

 Inhalative
 LC50/4 h
 20000 mg/l (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### European waste catalogue

07 00 00 WASTES FROM ORGANIC CHEMICAL PROCESSES

(Contd. on page 7)

Printing date 16.06.2017 Version number 3 Revision: 16.06.2017

Trade name: RSD 500 Rapid surface disinfection MAX

	(Contd. of page 6)
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and
	cosmetics
07 06 99	wastes not otherwise specified

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN1170
14.2 UN proper shipping name ADR	1987 ALCOHOLS, N.O.S. (ETHANOL (ETHY. ALCOHOL), PROPANOL (PROPY. ALCOHOL, NORMAL))
IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA	ETHANOL SOLUTION
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
	3 Flammable liquids.
Label 14.4 Packing group	-
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards:	3
Class Label  14.4 Packing group ADR, IMDG, IATA  14.5 Environmental hazards: Marine pollutant:  14.6 Special precautions for user	III  No  Warning: Flammable liquids.
Label  14.4 Packing group ADR, IMDG, IATA  14.5 Environmental hazards: Marine pollutant:  14.6 Special precautions for user Danger code (Kemler):	3 III No
Label  14.4 Packing group ADR, IMDG, IATA  14.5 Environmental hazards: Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number:	III  No  Warning: Flammable liquids. 30 F-E,S-D
Label  14.4 Packing group ADR, IMDG, IATA  14.5 Environmental hazards: Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number:  14.7 Transport in bulk according to An	III  No  Warning: Flammable liquids. 30 F-E,S-D  mex II

Printing date 16.06.2017 Version number 3 Revision: 16.06.2017

Trade name: RSD 500 Rapid surface disinfection MAX

	(Contd. of page
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging 1000 ml
Transport category	3
Tunnel restriction code	D/E
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30
	ml
	Maximum net quantity per outer packaging 1000 ml
UN "Model Regulation":	UN1987, ALCOHOLS, N.O.S., 3, III

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

· Recommended restriction of use

(Contd. on page 9)

Printing date 16.06.2017 Version number 3 Revision: 16.06.2017

Trade name: RSD 500 Rapid surface disinfection MAX

(Contd. of page 8)

Produkt nur für den professionellen Gebrauch.

Die in diesem Sicherheitsdatenblatt enthaltenen Angaben basieren nach unserem besten Wissen und Gewissen auf aktuell verfügbaren Informationen über die korrekte Handhabung des Produktes unter normalen Bedingungen. Eine andere, in diesem Datenblatt nicht enthaltene Verwendung dieses Produktes zusammen mit anderen Prozessen/Verfahren obliegt der alleinigen Verantwortung des Anwenders. Dieses Dokument stellt keine explizite oder implizite Garantie bezüglich Produktqualität oder Eignung für einen bestimmten Zweck dar.

- · Department issuing SDS: Abteilung Produktsicherheit
- · Contact: Hr. Dr. Metz
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

\* \* Data compared to the previous version altered.

V 2011 9 1

GB